AMENDMENTS TO THE CLAIMS

storage space.

20

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims

Claims 1-12 (canceled)

13 (previously presented): A device for Claim 1 preventing an incorrect insertion of a cartridge into a 2 space, the cartridge including 3 cartridge storage information recording medium disposed within a housing, the 4 housing having at least one of a recessed part and a 5 through hole disposed at a position other than a central 6 position of the housing, said device comprising: 7 a claw operable to protrude into the recessed part or 8 the through hole of the cartridge only when the cartridge 9 is inserted into the cartridge storage space in a correct 10 orientation; and 11 a stopper operable to work with said claw such that 12 when said claw protrudes into the recessed part or the 13 through hole of the cartridge, said stopper is disposed to 14 allow the cartridge to be inserted and stored in the 15 cartridge storage space, and when said claw does not 16 protrude into the recessed part or the through hole of the 17 cartridge, said stopper is disposed to prevent 18 cartridge from being inserted and stored in the cartridge 19

- 1 Claim 14 (previously presented): A device as claimed
- 2 in claim 13, the cartridge being inserted into the
- 3 cartridge storage space in a correct orientation when the
- 4 cartridge is inserted from a predetermined direction into
- 5 the cartridge storage space.
- 1 Claim 15 (previously presented): A device as claimed
- 2 in claim 13, further comprising a joint part operable to
- 3 join said claw with said stopper, said joint part being
- 4 disposed to rock on a shaft as a fulcrum.
- 1 Claim 16 (previously presented): A device as claimed
- 2 in claim 13, said device further comprising a plurality of
- at least one of said claw and said stopper.
- 1 Claim 17 (previously presented): A device as claimed
- 2 in claim 13, said device being used with the cartridge
- 3 which contains a magnetic tape reel within the housing and
- 4 the recessed part or the through hole of the cartridge
- 5 being used for inserting a reel base of a cartridge control
- 6 device that engages with the magnetic tape reel.
- 1 Claim 18 (previously presented): A device for
- 2 preventing an incorrect insertion of a cartridge into a
- 3 cartridge storage space, the cartridge including an

Appln. No. 10/798,774 Amdt. dated April 7, 2006 Reply to Office Action dated March 14, 2006

- 4 information recording medium disposed within a housing, the
- 5 housing having at least one of a recessed part and a
- 6 through hole disposed at a position other than a central
- 7 position of the housing, said device comprising:
- 8 a claw operable to protrude into the recessed part or
- 9 the through hole of the cartridge only when the cartridge
- 10 is inserted into the cartridge storage space in a correct
- 11 orientation;
- a claw position detecting part operable to detect when
- 13 said claw protrudes and does not protrude into the recessed
- 14 part or the through hole of the cartridge, and output a
- 15 detection result; and
- a determining part operable to determine whether the
- insertion of the cartridge is in a correct orientation
- 18 based on the detection result of said claw position
- 19 detecting part, and output a determination result.
- 1 Claim 19 (previously presented): A device as claimed
- 2 in claim 18, the cartridge being inserted into the
- 3 cartridge storage space in a correct orientation when the
- 4 cartridge is inserted from a predetermined direction into
- 5 the cartridge storage space.
- 1 Claim 20 (previously presented): A device as claimed
- 2 in claim 18, said determining part being operable to
- 3 activate at least one of: a suspension operation to suspend

- 4 the insertion; an operation to inform the user of incorrect
- insertion; and an ejection operation to eject the cartridge
- 6 from the cartridge storage space, when said determining
- 7 part determines that the insertion of the cartridge is not
- 8 in a correct orientation.
- 1 Claim 21 (previously presented): A cartridge changer
- 2 for performing cartridge changing and preventing an
- 3 incorrect insertion of a cartridge into a cartridge storage
- 4 space, the cartridge including an information recording
- 5 medium disposed within a housing, the housing having at
- 6 least one of a recessed part and a through hole disposed at
- 7 a position other than a central position of the housing,
- 8 said cartridge changer comprising:
- a plurality of cartridge storage parts each of which
- 10 includes the cartridge storage space for mounting the
- 11 cartridge;
- 12 a moving mechanism operable to move a selected one of
- 13 said plurality of cartridge storage parts from a first
- 14 position, at which a user inserts the cartridge into the
- 15 cartridge storage space, to a second position which is
- 16 different than the first position; and
- 17 a device disposed in at least one of the first
- 18 position, the second position, and the plurality of
- 19 cartridge storage parts, said device comprising:

- 20 a claw operable to protrude into the recessed part or the through hole of the cartridge only when the 21 cartridge is inserted into the cartridge storage space in 22 a correct orientation; and 23 a stopper operable to work with said claw such 24 that when said claw protrudes into the recessed part or the 25 through hole of the cartridge, said stopper is disposed to 26 allow the cartridge to be inserted and stored in the 27 cartridge storage space, and when said claw does not 28 protrude into the recessed part or the through hole of the 29 cartridge, said stopper is disposed to prevent 30 cartridge from being inserted and stored in the cartridge 31 storage space. 32
- Claim 22 (previously presented): A cartridge changer
 as claimed in claim 21, the cartridge being inserted into
 the cartridge storage space in a correct orientation when
 the cartridge is inserted from its backside into the
 cartridge storage space.
- Claim 23 (previously presented): A cartridge changer
 as claimed in claim 21, the second position being adjacent
 to a cartridge inserting point of a cartridge control
 device used for recording information to and/or reproducing
 information from the information recording medium.

- 1 Claim 24 (previously presented): A cartridge changer
- 2 as claimed in claim 21, further comprising a cartridge
- 3 control device disposed in a position adjacent to the
- 4 second position, said cartridge control device comprising:
- a second cartridge storage part for mounting the
- 6 cartridge; and
- a control part operable to record information to
- 8 and/or reproduce information from the information recording
- 9 medium.
- 1 Claim 25 (previously presented): A cartridge changer
- 2 as claimed in claim 24, said cartridge control device
- further comprising a second device operable to prevent an
- 4 incorrect insertion of the cartridge into said second
- 5 cartridge storage part.
- 1 Claim 26 (previously presented): A cartridge changer
- 2 as claimed in claim 25, said second device being operable
- 3 to detect that the cartridge has been inserted into said
- 4 second cartridge storage part in an incorrect orientation.
- 1 Claim 27 (previously presented): A cartridge changer
- 2 as claimed in claim 26, the cartridge being inserted into
- 3 said second cartridge storage part in a correct orientation
- 4 when the cartridge is inserted from its foreside into said
- 5 second cartridge storage part.

- Claim 28 (previously presented): A cartridge changer
 as claimed in claim 25, said second device containing a
 projection for preventing the incorrect insertion of the
 cartridge into the said second cartridge storage part,
 wherein a notch provided on a corner of the cartridge must
- 6 be aligned with said projection for correct insertion.

Claims 29-43 (canceled)